L Number	Hits	Search Text	DB	Time stamp
1	59	(plate same((sens\$5 or decod\$5 or	USPAT;	2004/04/19 11:47
		detect\$5) same (mark\$5 or indicia or	US-PGPUB;	
		<pre>indicum or code or barcode) same (mount\$5 near3 cylinder)))</pre>	EPO; JPO; DERWENT;	
		Hears Cyrinder, / /	IBM TDB	
2	61650	((101/\$).ccls.)	USPAT;	2004/04/19 11:49
-	01000	((202) 4) (00201)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	24		USPAT;	2004/04/19 11:27
		detect\$5) same (mark\$5 or indicia or	US-PGPUB;	
		indicum or code or barcode) same (mount\$5	EPO; JPO;	
		near3 cylinder)))) and (((101/\$).ccls.))	DERWENT; IBM TDB	
4	42	(plate near3 (mount\$5 near4 cylinder))	USPAT;	2004/04/19 11:49
4	42	same((sens\$5 or decod\$5 or detect\$5) same	US-PGPUB;	2004/04/13 11.43
		(mark\$5 or indicia or indicum or code or	EPO; JPO;	
		barcode))	DERWENT;	
			IBM TDB	
5	18758	((226/\$).ccls.)	USPAT;	2004/04/19 11:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0004/04/40 44 50
6	81507	(((101/\$).ccls.) ) Or (((226/\$).ccls.) )	USPAT;	2004/04/19 11:50
			US-PGPUB;	
		Set Control of the Co	EPO; JPO; DERWENT;	
			IBM TDB	
7	20	((plate near3 (mount\$5 near4 cylinder))	USPAT;	2004/04/19 11:57
		same((sens\$5 or decod\$5 or detect\$5) same	US-PGPUB;	
		(mark\$5 or indicia or indicum or code or	EPO; JPO;	
		barcode))) and ((((101/\$).ccls.)) Or	DERWENT;	
		(((226/\$).ccls.)))	IBM_TDB	
8	0	5771811.pn. and (plate near3 cylinder)	USPAT;	2004/04/19 11:57
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	1	5771811.pn. and (plate same cylinder)	IBM_TDB USPAT;	2004/04/19 11:57
_	1	orrioti.pn. and (place same cylinder)	US-PGPUB;	2007/04/13 11.3/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	97	position near4 motor same (print\$5 adj	USPĀT;	2004/04/15 13:15
		press)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(monition money makes and (maintof and	IBM TDB	2004/04/15 13:17
-	11	(position near4 motor same (print\$5 adj press)) and (mark\$5 same sensor)	USPAT; US-PGPUB;	2004/04/15 13:1/
		bressil and (marks) same sensor!	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	6647874.URPN.	USPĀT	2004/04/15 13:12
_	19	(preset\$9 or preadjust\$9) same phase same	USPAT;	2004/04/15 13:38
		(print\$5 adj press)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	L
-	3	((preset\$9 or preadjust\$9) same phase same	USPAT;	2004/04/15 13:17
		(print\$5 adj press)) and (mark\$5 same	US-PGPUB;	
		sensor)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

_	1877	(preset\$9 or preadjust\$9) same phase same motor	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:00
			DERWENT; IBM TDB	
-	12	((preset\$9 or preadjust\$9) same phase same motor) and (print\$5 adj press)	USPĀT; US-PGPUB; EPO; JPO;	2004/04/16 12:46
			DERWENT; IBM TDB	
	18	4694749.URPN. 5917192.URPN.	USPAT USPAT	2004/04/15 13:47 2004/04/15 13:50
_	11788	(preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or	USPAT; US-PGPUB;	2004/04/15 14:03
		counteract or counterbalance) same (phase or angel) same (motor or drive)	EPO; JPO; DERWENT; IBM TDB	
-	427	((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase	USPAT; US-PGPUB; EPO; JPO;	2004/04/16 12:32
		or angel) same (motor or drive)) and ((print\$5 adj press) or web)	DERWENT; IBM TDB	
-	208	(((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:04
		or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5	DERWENT;	
-	178	<pre>((((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or</pre>	USPĀT; US-PGPUB;	2004/04/15 14:45
		counteract or counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5)	EPO; JPO; DERWENT; IBM TDB	
_	0	and (sens\$5 or decod\$5 or detect\$5) 6647874.URPN. and (position or locat\$5 or	USPAT;	2004/04/15 14:07
		place or arrangement)	US-PGPUB; EPO; JPO; DERWENT;	
_	177	<pre>(((((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or</pre>	IBM_TDB USPAT; US-PGPUB;	2004/04/15 14:08
		counteract or counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5) and (sens\$5 or decod\$5 or detect\$5)) and (position or locat\$5 or place or arrangement)	EPO; JPO; DERWENT; IBM_TDB	
-	2735	(sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB;	2004/04/15 14:49
		barcode) near2 (form or plate or drum or cylinder or drum or drive)	EPO; JPO; DERWENT;	
_	61650	(101/\$).ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/16 13:50
			DERWENT; IBM_TDB	
-	73	((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or	USPAT; US-PGPUB; EPO; JPO;	2004/04/16 09:03
_	18758	cylinder or drum or drive)) and ((101/\$).ccls.) (226/\$).ccls.	DERWENT; IBM_TDB USPAT;	2004/04/15 15:06
	10730	(220, 4) . 6020 .	US-PGPUB; EPO; JPO; DERWENT;	2001,01,10
_	79461	((101/\$).ccls.) or ((226/\$).ccls.)	IBM_TDB USPAT;	2004/04/15 15:06
	/ 5401	((101/4).CC13.) OI ((220/4).CC13.)	US-PGPUB; EPO; JPO; DERWENT;	2001/01/13 13:00
			IBM_TDB	

_	947	((101/\$).ccls.) and ((226/\$).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:34
			IBM TDB	
-	104	((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB;	2004/04/16 11:30
		barcode) near2 (form or plate or drum or	EPO; JPO;	
		cylinder or drum or drive)) and	DERWENT;	
	2.5	(((101/\$).ccls.) or ((226/\$).ccls.))	IBM_TDB USPAT:	2004/04/16 06 51
-	25	(((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	US-PGPUB;	2004/04/16 06:51
		barcode) near2 (form or plate or drum or	EPO; JPO;	
		cylinder or drum or drive)) and	DERWENT;	
		(((101/\$).ccls.) or ((226/\$).ccls.))) and	IBM_TDB	
	25	fold\$5 (((sens\$5 or decod\$5 or detect\$5) near2	USPAT;	2004/04/16 08:04
	25	(mark\$5 or indicia or indicum or code or	US-PGPUB;	2004/04/10 08:04
		barcode) near2 (form or plate or drum or	EPO; JPO;	
		cylinder or drum or drive or motor)) and	DERWENT;	
		(((101/\$).ccls.) or ((226/\$).ccls.))) and	IBM_TDB	
_	112	fold\$5   (phase adh motor) same(longit\$9 near2	USPAT;	2004/04/16 06:59
		position) same print\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	34	((phase adh motor) same(longit\$9 near2	USPAT;	2004/04/16 07:46
		position) same print\$5) and ((sens\$5 or	US-PGPUB;	2001,01,10 0,110
		decod\$5 or detect\$5) near2 (mark\$5 or	EPO; JPO;	
		indicia or indicum or code or barcode))	DERWENT;	
	16	5909235.URPN.	IBM_TDB   USPAT	2004/04/16 07:19
_	16		USPAT	2004/04/16 07:19
-	11	("4804979"   "4807218"   "4903067"	USPAT	2004/04/16 07:26
		"4916547"   "4924254"   "4963899"		
		"4965597"   "5278587"   "5287162"     "5347303"   "5394223").PN.		
-	11	("4804979"   "4807218"   "4903067"	USPAT	2004/04/16 07:26
		"4916547"   "4924254"   "4963899"		
		"4965597"   "5278587"   "5287162"		
	3	"5347303"   "5394223").PN.   5813337.URPN.	HCDAT	2004/04/16 07.32
-	3	5813337.URPN.	USPAT USPAT	2004/04/16 07:32   2004/04/16 07:35
_	27		USPAT	2004/04/16 07:35
		"3752377"   "4135664"   "4243925"		
		"4366753"   "4385716"   "4470555"   "4527069"   "4606486"   "4848632"		
		"4527069"   "4606486"   "4848632"     "4887530"   "4896807"   "4913049"		
		"4960234"   "4991761"   "5117610"		
		"5119725"   "5129568"   "5176371"		
		"5224640"   "5289770"   "5361960"   "5412577"   "5415092"   "5540146").PN.		
_	1	("6568323").PN.	USPAT;	2004/04/16 07:47
		,	US-PGPUB	
_	1	("6626343").PN.	USPAT;	2004/04/16 07:47
	114	///compôf on docadôf ou detectôf) as a	US-PGPUB	2004/04/10 11 00
_	114	(((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB;	2004/04/19 11:20
		barcode) near2 (form or plate or drum or	EPO; JPO;	
		cylinder or drive or motor)) and	DERWENT;	
		(((101/\$).ccls.) or ((226/\$).ccls.)))	IBM_TDB	0004/00/15
_	16	(((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB;	2004/04/16 12:26
		barcode) near2 (print\$5 adj(form or plate	EPO; JPO;	
		or drum or cylinder or drive or motor)))	DERWENT;	
		and (((101/\$).ccls.) or ((226/\$).ccls.)))	IBM_TDB	
-	5	5771811.URPN.	USPAT	2004/04/16 08:22
-	6	(("6408748") or ("5546859") or ("5289770") or ("5415092") or ("5058500") or	USPAT	2004/04/16 09:00
		("4665824")).PN.		
			·	·

-	1 1	("4665824").PN. ("6167806").PN.	USPAT USPAT;	2004/04/16 09:00 2004/04/16 09:03
-	2 0	6167806.URPN. 5771811.pn. and lithogra\$5	US-PGPUB USPAT USPAT;	2004/04/16 09:50 2004/04/16 10:26
-		57/1011.pm. and 11thograps	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/10 10.20
-	1	5771811.pn. and (print\$5 adj plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 11:20
_	2	5771811.pn. and (cut\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 11:21
-	0	5771811.pn. and (fold\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 11:22
-	1	6167806.pn. and (fold\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 11:22
~	1	5771811.pn. and calculat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:09
-	0	6167806.pn. and ((("4804979"   "4807218"   "4903067"   "4916547"   "4924254"   "4963899"   "4965597"   "5278587"   "5287162"   "5347303"   "5394223").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:10
-	0	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:22
_	3526	(creat\$5 adj (mark\$5 or indicia or indicum or code or barcode))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:35
-	12	((creat\$5 adj (mark\$5 or indicia or indicum or code or barcode))) and (print\$5 adj(form or plate or drum or cylinder or drive or motor))and (((101/\$).ccls.))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:32
_	0	(((101/\$).ccls.) or ((226/\$).ccls.)) ((creat\$5 adj (mark\$5 or indicia or indicum or code or barcode)) ) and ((((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or cylinder or drum or drive or motor)) and (((101/\$).ccls.) or ((226/\$).ccls.))) and fold\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:33
-	427		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:32

-	0	5813337.URPN. and (((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or	USPAT; US-PGPUB; EPO; JPO;	2004/04/16 12:33
		counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press) or web))	DERWENT; IBM_TDB	
-	0	((("6408748") or ("5546859") or ("5289770") or ("5415092") or ("5058500") or ("4665824")).PN.) and ((creat\$5 adj (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:33
-	947	barcode))) ((101/\$).ccls.) and ((226/\$).ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:34
-	1	((creat\$5 adj (mark\$5 or indicia or indicum or code or barcode)) ) and (((101/\$).ccls.) and ((226/\$).ccls.))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:35
_	35768	(creat\$5 or generat\$5 or print\$5) adj (mark\$5 or indicia or indicum or code or barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:41
_	41	((creat\$5 or generat\$5 or print\$5) adj (mark\$5 or indicia or indicum or code or barcode)) and (((101/\$).ccls.) and ((226/\$).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:42
-	21425	(creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:42
-	6	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) and (((101/\$).ccls.) and ((226/\$).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:42
-	2	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) near5 (print\$5 adj form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:48
	0	6167806.pn. and mark	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:47
-	6	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) near5 (print\$5 adj (form or plate or cylinder or drum))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:49
-	1	2002/0050219	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 13:57
-	0	((image nearl (set or setter or setting) or (form or forme or plate) nearl (print\$ or mak\$3 or expos\$)) near6 (mark or making)) and (101.\$.ccls.) and ((plate or forme or form or drum or cylinder)nera4 (regist\$ or align\$ or position\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:04

-	0	((image near1 (set or setter or setting)	USPAT;	2004/04/16 14:04
		or (form or forme or plate) near1 (print\$	US-PGPUB;	
		or mak\$3 or expos\$)) near6 (mark or	EPO; JPO;	
		making)) and (101.\$.ccls.) and ((plate or	DERWENT;	
		forme or form or drum or cylinder)nera4	IBM TDB	
		(regist\$ or align\$ or position\$))		
-	0	((image nearl (set or setter or setting)	USPAT;	2004/04/16 14:04
		or (form or forme or plate) nearl (print\$	US-PGPUB;	
		or mak\$3 or expos\$)) near6 (mark or	EPO; JPO;	
		making)) and (101.\$.ccls.) and ((plate or	DERWENT;	
		forme or form or drum or cylinder)nera4	IBM_TDB	
		(regist\$ or align\$ or position\$))		